## belt conveyors



### ECA40-12

#### **Indirect Drive**

Belt conveyors are ideal for linear, horizontal or even as incline transport of goods. Easy conveyors has developed a wide range of modular conveyor systems with synthetic belts. Key concept of the system is quick and easy to assemble thanks to modular design, high performance, safe and low noise level are the characters of the systems.

The ECA 40-I2 serie is the conveyor for the medium load and a maximum length of 8 meters with a maximum wide of 500 mm. The rollers have a diameter of 15 and 45 mm. The frame is build up out of aluminum anodized profiles with a slide at the side where you can mount the side guiding and the supports



#### **ECA 40 FRAME**

#### ECA 40 SIDE PROFILE

Material: Aluminum, 12 micron anodized

Fabrication size = center to center minus 70 mm (A)

Package: 1 piece

Profile ECA 40 L=5600 mm; VE=5 **ECA04090000** 

#### ECA 40 COUPLE SET

Connector B = 500 mm

ECA04090050

#### PROFILE CONNECTOR SET

Material: Steel, galvanized
Package: 2 pieces with fastener


Profile connector set EMPT040705000006

#### **SLIDENUT**

Material: Steel, galvanized Package: 25 pieces

 Slide nut M6
 040115000001

 Slide nut M8
 040115000002











#### **ECA 40 DRIVE**

#### **IDLER UNIT 15**

Material: Aluminum die cast

Package: Left and right support plate with fasteners ROLLER NOT INCLUDED ECA04091000S

#### **IDLER ROLLER 15**

Material: Stainless steel rollers, 1 support roller,

including fasteners

Package: 1 piece, diameter 15 mm

#### SUPPORT ROL

Material: Stainless steel shaft with aluminum cover tube

Package: per piece


 Length:
 Support axe B-200 mm
 ECA00093020


 Length:
 Support axe B-300 mm
 ECA00093030

 Length:
 Support axe B-400 mm
 ECA00093040

 Length:
 Support axe B-500 mm
 ECA00093050

 Length:
 Support axe B-600 mm
 ECA00093060





#### **ECA 40 DRIVE UNIT**

#### **INDIRECT DRIVE UNIT 40**

Material: Aluminum die cast

Package: Left and right support plate with fasteners,

2x tooth wheel and tooth belt including

belt tensioner

Indirect drive set right ECA04082000S
Indirect drive set left ECA04083000S

ROLLER AND GEARMOTOR NOT INCLUDED FOR GEARMOTORS SEE SHEET "GEARMOTORS"


#### INDIRECT DRIVE ROLLER


Material: Stainless steel shaft with aluminum cover tube

Package: 1 drive roller diameter 65 mm,

1 support roller diameter 35 mm

Indirect drive roller set 200 mm	ECP04082020S
Indirect drive roller set 300 mm	ECP04082030S
Indirect drive roller set 400 mm	ECP04082040S
Indirect drive roller set 500 mm	ECP04082050S





#### **ECATOP PLATE + BELT**

#### ECA TOP PLATE TAPE

Material: 2 sided tape

Package: 1 roll of 33 meters **ECA00092100** 

#### ECA TOP PLATE 40

Material: Steel galvanized 2 mm


Package: on request


Fabrication size A-45 mm, B-5 mm **ECA00092000** 

FOR BELT MATERIAL SEE PRODUCTSHEET
"BELT MATERIAL"

FOR GEARMOTORS SEE PRODUCTSHEET "GEARMOTORS"

FOR SIDE GUIDING SEE PRODUCTSHEET "SIDE GUIDING"





# ECA40-12

